

LUXURY

Materiale: vetro

Material: glass

Retro: lamiera zincata

Back: galvanized sheet metal


CODE	LINE	SIZE (CM)	MIRROR SIZE (CM)	BOX SIZE (CM)			GROSS WEIGHT (KG)
CODICE	LINEA	MISURE (CM)	MISURE SPECCHIO (CM)	DIMENSIONI SCATOLA (CM)			PESO LORDO (KG)

MOONSOTNE

MOS001	MOONSTONE	160X79	131X51	187	84	11	34
MOS001/LED	MOONSTONE	160X79	131X51	187	84	11	35
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
MOS009	MOONSTONE	98X70	72X44,5	106	78	8,5	18
MOS009/LED	MOONSTONE	98X70	74X44,5	106	78	8,5	19
LED POTENZA 16 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							

MERIDINA

MER001	MERIDIANA	169X68	146X46	180	87	10	32
MER001/LED	MERIDIANA	169X68	146X46	180	87	10	33
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
MER002	MERIDIANA	90X69	66,5X46	125	79	9	16
MER002/LED	MERIDIANA	90X69	66,5X46	125	79	9	17
LED POTENZA 16 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
MER004	MERIDIANA	110X90	84,5X65	103	120	11	22
MER004/LED	MERIDIANA	110X90	84,5X65	103	120	11	22
LED POTENZA 18 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							





ECLIPSE

ECL001	ECLIPSE	168X73	145X50	180	87	10	33
ECL001/LED	ECLIPSE	168X73	145X50	180	87	10	35
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
ECL009	ECLIPSE	98X70	75X48	106	78	8,5	17
ECL009/LED	ECLIPSE	98X70	75X48	106	78	8,5	18
LED POTENZA 16 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							



ECL004	ECLIPSE	168X73	145X50	180	87	10	35
CON LUCE cm 60 CLII-IP44-9.6W-230V-50Hz- colorazione 6000K (luce fredda) due bracci							
ECL007V	ECLIPSE	98X70	75X48	106	78	8,5	18
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							
ECL007O	ECLIPSE	98X70	75X48	106	78	8,5	18
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							



DIAFRAMMA

DIA007	DIAFRAMMA	94X70	84X60	125	79	9	11
--------	-----------	-------	-------	-----	----	---	----



ONYX

ONY007	ONYX	95X93	85X83	103	103	12	16
--------	------	-------	-------	-----	-----	----	----



ORBITA

ORB001	ORBITA	170X75	143X48	180	87	10	32
ORB002	ORBITA	115X70	95,5X47,5	125	79	9	21
ORB004	ORBITA OVALE	112X70	ELLISSE 91X47,5	125	79	9	17
ORB006	ORBITA	DIAM.94	DIAM.60	103	103	12	



IRIDIUM

IRI001	IRIDIUM	179X78	150X50	187	84	11	36
IRI001/LED	IRIDIUM	179X78	150X50	187	84	11	37
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
IRI003	IRIDIUM	94X94	65X65	103	103	12	22
IRI003/LED	IRIDIUM	94X94	65X65	103	103	12	23
LED POTENZA 17 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
IRI004	IRIDIUM OVALE	168X80	145,5X58,5	187	84	11	30



OPTICAL

OPT001	OPTICAL	163x80	142X59	180	87	10	33
OPT002	OPTICAL	90X69	80X49	125	79	9	17



SAND

SAN001	SAND	168X73	136X50	180	87	10	34
SAN001/LED	SAND	168X73	136X50	180	87	10	35
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
SAN009	SAND	98X70	74X44,5	106	78	8,5	17
SAN009/LED	SAND	98X70	74X44,5	106	78	8,5	19
LED POTENZA 16 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							



SAN004	SAND	168X73	136X50	180	87	10	35
CON LUCE cm 60 CLII-IP44-9.6W-230V-50Hz- colorazione 6000K (luce fredda) due bracci							
SAN007O	SAND	70X98	74X44,5	106	78	8,5	19
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							
SAN007V	SAND	98X70	74X44,5	106	78	8,5	19
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							



LUX

LUX001	LUX	168X73	145X50	180	87	10	34
LUX001/LED	LUX	168X73	145X50	180	87	10	35
LED POTENZA 23 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							
LUX009	LUX	98X70	75X48	106	78	8,5	17
LUX009/LED	LUX	98X70	75X48	106	78	8,5	19
LED POTENZA 16 WATT – LUCE 6000 K – TRASFORMATORE WATERPROOF IP67 30 WATT							



LUX004	LUX	168X73	145X50	180	87	10	35
CON LUCE cm 60 CLII-IP44-9.6W-230V-50Hz- colorazione 6000K (luce fredda) due bracci							
LUX007O	LUX	70X90	75X48	106	78	8,5	19
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							
LUX007V	LUX	98X70	75X48	106	78	8,5	19
CON LUCE cm 30 CLII-IP44-4.8W-230V-50Hz- colorazione 6000K (luce fredda) 1 braccio							



PERLA

PER001	PERLA	169X68	155X45	180	87	10	34
PER002	PERLA	90X69	78X46	106	78	8,5	17



DUNA

DUN001	DUNA	175X75	153X53	187	84	11	31
DUN002	DUNA	98X69	80X51	106	78	8,5	17



ARTIDE

ART001	ARTIDE	158X78,5	128,5X49,5	180	87	10	31
ART002	ARTIDE	70X98	43X72	106	78	8,5	18
ART006	ARTIDE	DIAM.94	DIAM.64,5	103	103	12	20



CLARISSE

CLA002	CLARISSE	70X95	47X71,5	103	103	12	17
--------	----------	-------	---------	-----	-----	----	----



BRIGITTE

BRI001	BRIGITTE	150X85	140X75	187	84	11	21
BRI002	BRIGITTE	98X85	88X75	103	103	12	16



JULIETTE

JUL001	JULIETTE	150X75	140X65	180	87	10	23
JUL002	JULIETTE	94X67	84X57	106	78	8,5	13



WAVE

WAV002	WAVE	115X81	81X50	125	84	11	21
--------	------	--------	-------	-----	----	----	----



FLORENCE

FLO001	FLORENS	160X79	136X50	187	84	11	31
FLO002	FLORENCE	98X70	74,4X44,5	106	78	8,5	17



HYPNOSE

HYP002	HIPNOSE	90X69	66,5X46	106	78	8,5	17
--------	---------	-------	---------	-----	----	-----	----